Street and Area Lighting







Description

LED upgrade kit to repair or upgrade installed VFL530-SE LED luminaires (from 2014) with [S60] [S65] [S70] [S65] light distribution.

Upgrade kit uses the latest technology for improved energy performance. Connectivity and controls dependent on previous luminaire settings; DALI and 0-10V only possible if luminaire installed with 5-wire cable. One LED retrofit kit possible per luminaire.

Upgrade Kit comes complete with driver, LED board, optics and cables. Quick installation possible with few tools. Installation only possible with 6 LED board and only for forward orientation. No rotation of lenses possible. Not available for existing hybrid installations. A backlight shield cannot be used.

Please specify wattage, colour temperature and light distribution when ordering!

For photometric data see current VFL530-SE LED luminaires.

WE-EF LIGHTING USA, LLC

410-D Keystone Drive, 15086 Warrendale, PA 15086 - Phone: +1 724 742 0030 customersupport.usa@we-ef.com - https://we-ef.com/us Subject to technical changes and errors. - Generated on 07/18/2025

Street and Area Lighting

Specifications Material description

Body	Chassis made of coated steel				
Lens	NA				
Colors					
Gasket	NA				
Fasteners	Polycarbonate holder				
Corrosion resistance	NA				
Electrical description					
Driver / Ballast	Integral EC electronic converter. DALI				
Power factor	> 9.0				

Additional information

Lifetime

Ta=25°/40° L90B10 > 90000h



Street and Area Lighting

Options Light distribution Color temperature Nominal Watt

Street and Area Lighting

Configurations

Light distribution	Part ID	Light source	Delivered	Rated input	CRI	Weight (lb)
			lumens	power		

WE-EF LIGHTING USA, LLC 410-D Keystone Drive, 15086 Warrendale, PA 15086 - Phone: +1 724 742 0030 customersupport.usa@we-ef.com - https://we-ef.com/us Subject to technical changes and errors. - Generated on 07/18/2025

