


# STL209 LED

## Wall luminaires recessed



### Description

IP55, Class I. IK10. Marine-grade, die-cast aluminium alloy. 5CE superior corrosion protection including PCS hardware. Stainless steel mounting claws. Silicone rubber gasket. Polycarbonate main lens. Two cable entries. Integral EC Electronic convertor. High efficiency LEDs in 3000 K or 4000 K. Optional 2200 K version available. To be specified at time of ordering.

Optional pre-installation blockout is recommended for mounting in concrete.

### WE-EF LIGHTING Pty Ltd

47 Tarnard Drive, 3195 Braeside, Victoria - Phone: +61 3 8587 0444 - Fax: +61 3 8587 0499

info.australia@we-ef.com - <https://we-ef.com/aus>

Subject to technical changes and errors. - Generated on 02/07/2025

# STL209 LED

## Wall luminaires recessed




### Specifications

#### Material description

---

Body Marine-grade die-cast aluminium alloy

Colours

-  RAL9004 Signal black
-  RAL9006 White aluminium
-  RAL9007 Grey aluminium

Gasket Silicone rubber gasket

Ingress protection IP55

Impact resistance IK10

Corrosion resistance 5CE

---

#### Electrical description

---

Power supply 220-240V / 50-60 Hz

Driver / Ballast Integral EC electronic converter

---

#### Additional information

---

Lifetime Ta=40° L80B10 > 54000h

---

## STL209 LED

Wall luminaires recessed

**we-ef**

### Options

Light distribution   Colour temperature   Nominal Watt

#### **WE-EF LIGHTING Pty Ltd**

47 Tarnard Drive, 3195 Braeside, Victoria - Phone: +61 3 8587 0444 - Fax: +61 3 8587 0499  
info.australia@we-ef.com - <https://we-ef.com/aus>

Subject to technical changes and errors. - Generated on 02/07/2025

# STL209 LED

Wall luminaires recessed



## Configurations

Light distribution	Part ID	Light source	Rated lumens	Rated input power	CRI	Weight (kg)
--------------------	---------	--------------	--------------	-------------------	-----	-------------

**WE-EF LIGHTING Pty Ltd**

47 Tarnard Drive, 3195 Braeside, Victoria - Phone: +61 3 8587 0444 - Fax: +61 3 8587 0499

info.australia@we-ef.com - <https://we-ef.com/aus>

Subject to technical changes and errors. - Generated on 02/07/2025