
# we-ef

#### **Inground luminaires**





#### **Description**

IP67. 12V - 24V AC/DC. Class III. IK09. Stainless steel construction including PCS hardware. Silicone rubber gasket. Safety glass lens; max. load 5 tonnes. Luminaire can be driven over at low speed. Factory-sealed termination chamber complete with cable gland and 1,5 m of flexible PVC free cable. IP68 in-line connector facilitates easy removal for off-site lamp replacement.

Factory installed circuit board with High Efficiency LEDs.



## **Inground luminaires**

# **Specifications**

# **Material description**

Body Stainless steel construcion

Lens Safety glass lens; max. load 5 tonnes

Colours Stainless Steel

Gasket Silicone rubber gasket

Fasteners PCS polymer coated stainless steel

Ingress protection IP67
Impact resistance IK09
Corrosion resistance 5CE

### **Electrical description**

Driver / Ballast Electronic converter required. To be ordered separately.

#### **Additional information**

Lifetime Ta=40° L90B10 > 90000h

we-ef

**Inground luminaires** 

**Options** 

Light distribution Colour temperature Nominal Watt



# **Inground luminaires**

# **Configurations**

Light distribution	Part ID	Light source	Rated	Rated input	CRI	Weight (kg)
			lumens	power		




## **Inground luminaires**

# **Optical Accessories**

# **Linear spread lens**

Description	Part ID	C1
Linear spread lens IO-180	185-0895	49



## **Surface wash lens**

scription Part II
od lens 10-360 185-0






## **Inground luminaires**

## **Electrical Accessories**


# **Sealable junction box**

Description	Part ID	C1	M1	M2
Sealable junction box SJB130	185-1624	146	Ø 10	Ø 12 - 19



## **Transformers**


Descri	cription	Part ID	Α	В	C1
Transf	sformer TVM-AC 24 V/20W	185-2884	140	65	90






# **Inground luminaires**

Description	Part ID A	1	В	C1
Transformer TVM-AC 24 V/50W	W 185-2885 1		65	90



#### Main converter

Description	ion Part ID	Α	В	C1
Main conve	nverter TVE-DC 24 V/12 W 400-0310	90	61	18



#### **WE-EF LIGHTING Pty Ltd**