



### Description



RGBW Colour Changer. IP67. Class I. IK10+. Stainless steel construction including PCS hardware. Safety glass lens, max. load 5 tonnes. Luminaire can be driven over at low speed. Silicone rubber gasket. Anti-wick technology, equipped with a cable gland and 0.5 meters of flexible, PVC-free cable.

Integral EC electronic converter. Advanced thermal management protects LEDs while optimising lumens output. Removable LED boards for upgrading. CAD-optimised optics for superior illumination and glare control. OLC® One LED Concept. 20° tiltable and 355° rotatable. LED circuit board with WE-EF Colour Boost Technology. DMX Interface. For other control interface options to suit specific project requirements, contact WE-EF.

Luminaire installation blockout and sealable junction box included in supply.

IMPORTANT! Inground blockouts must be installed with effective drainage, watch [here](https://vimeo.com/672613058).

Weight	12.00 kg
Light distribution	symmetric, medium beam [M]
Light source	LED-12/25W - RGBW
CRI	20/80
Power supply	EC
LEDs	12
Rated input power	26 W
<b>Nominal Lumen (lm)</b>	
LED Lumen	247.5
Total Lumen	2970
Tj	85
<b>Rated lumens (lm)</b>	
LED Lumen	171.1
Total Lumen	2053.3
Ta	25



**Specifications**

**Material description**

Body	Stainless steel construction
Lens	Safety glass lens, max. load 5 tonnes
Colours	 Stainless Steel
Gasket	Silicone rubber gasket
Fasteners	PCS hardware
Ingress protection	IP67
Impact resistance	IK10+

**Electrical description**

Power supply	220-240V / 50-60 Hz
Driver / Ballast	Integral EC electronic converter with DMX Interface
Termination	Junction box supplied

**Additional information**

Warranty	
Warranty	The product is supplied with 10-year warranty. Please refer to the LED Warranty Statement located on <a href="http://www.we-ef.com">www.we-ef.com</a> for further details. Warranty void if installed without proper drainage.


## Mounting Accessories

### Installation cover

---

Description	Part ID	C1
Installation cover BE	185-0326	300


---



## Optical Accessories

### Optical Adaptor


Description	Part ID
Internal optical Adaptor IA	185-7419



---


### Linear spread lens

Description	Part ID	C1
Linear spread lens IO-180	185-7581	149



**Surface wash lens**

Description	Part ID	C1
Flood lens IO-360	185-7582	149



---

**Linear louvre**

Description	Part ID	C1
Linear louvre IL	185-9568	149



**Control**

**DMX Wireless Antenna**

---

Description	Part ID
Antenna RF1.8dB	430-0018
Antenna RF5dB	430-0036

---

**DMX Wireless Repeater**

---

Description	Part ID
DMX Wireless Repeater	400-0477

---



**DMX Wireless Transceiver**

---

Description	Part ID
DMX Wireless Transceiver	400-0476

---

