





### Description

RGBW Colour Changer. IP69. IK10+. Stainless steel construction including PCS hardware. Safety glass lens; max. load 5 tonnes. Luminaire can be driven over at low speed. Silicone rubber gasket. Anti-wick technology, equipped with a cable gland and 0.5 meters of flexible, PVC-free cable.

Integral EC electronic converter. Advanced thermal management protects LEDs while optimising lumens output. Removable LED boards for upgrading. CAD-optimised optics for superior illumination and glare control. OLC® One LED Concept. LED circuit board with WE-EF Colour Boost Technology. DMX Interface. For other control interface options to suit specific project requirements, contact WE-EF.

Luminaire installation blockout and sealable junction box included in supply.

Weight	6.40 kg
Light distribution	symmetric, wide beam [B]
Light source	LED-12/19W - RGBW/4K
CRI	20/80
Power supply	EC
LEDs	12
Rated input power	23 W
<b>Nominal Lumen (lm)</b>	
LED Lumen	160
Total Lumen	1920
Tj	85
<b>Rated lumens (lm)</b>	
LED Lumen	110.9
Total Lumen	1330.6
Ta	25



## Specifications

### Material description

Body	Stainless steel construction
Lens	Safety glass lens, max. load 5 tonnes
Colours	 RAL9007 Grey aluminium
Gasket	Silicone rubber gasket
Fasteners	PCS hardware
Ingress protection	IP69
Impact resistance	IK10+

### Electrical description

Driver / Ballast	Integral EC electronic converter with DMX Interface
------------------	---

### Additional information

## Mounting Accessories

### Installation cover


Description	Part ID	C1
Installation cover BE	185-0325	250



## Optical Accessories

### Linear spread lens

Description	Part ID	C1
Linear spread lens IO-180	185-7170	191



### Flood lens

Description	Part ID	C1
Flood lens IO-360	185-7171	191



**EVC330-FS CC LED**


**Linear louvre**

Description	Part ID	C1
Linear louvre IL	185-7172	191




**Honeycomb louvre**

Description	Part ID	C1
Honeycomb Louvre IW	185-7180	191



**Wallwash lens**

Description	Part ID	C1
Wallwash lens IO-20	134-1492	191



C1

**Control**

**DMX Wireless Antenna**

---

Description	Part ID
Antenna RF1.8dB	430-0018

---

**DMX Wireless Repeater**

---

Description	Part ID
DMX Wireless Repeater	400-0477

---



185-7798

**we-ef**

**EVC330-FS CC LED**

---

**DMX Wireless Transceiver**

---

Description	Part ID
DMX Wireless Transceiver	400-0476

---

