



Description

RGBW Colour Changer. IP69. IK10+. Stainless steel construction including PCS hardware. Safety glass lens; max. load 5 tonnes. Luminaire can be driven over at low speed. Silicone rubber gasket. Anti-wick technology, equipped with a cable gland and 0.5 meters of flexible, PVC-free cable.


Integral EC electronic converter. Advanced thermal management protects LEDs while optimising lumens output. Removable LED boards for upgrading. CAD-optimised optics for superior illumination and glare control. OLC® One LED Concept. LED circuit board with WE-EF Colour Boost Technology. DMX Interface. For other control interface options to suit specific project requirements, contact WE-EF.


Luminaire installation blockout and sealable junction box included in supply.

Weight	11.00 kg	
Light distribution	symmetric, medium beam [M]	
Light source	LED-48/30W - RGBW	
CRI	20/80	
Power supply	EC	
LEDs	24	
Rated input power	32 W	
Nominal Lumen (lm)		
LED Lumen	140	
Total Lumen	3360	
Tj	85	
Rated lumens (lm)		
LED Lumen	102.7	
Total Lumen	2463.8	
Та	25	









Specifications

Material description

Body Stainless steel construction

Lens Safety glass lens, max. load 5 tonnes

Colours

Stainless Steel

Gasket Silicone rubber gasket


Fasteners PCS hardware

Ingress protection IP69
Impact resistance IK10+

Electrical description

Driver / Ballast Integral EC electronic converter with DMX Interface

Additional information





Mounting Accessories

Installation cover

Description	Part ID	C1
Installation cover BE	185-0326	300



01





Optical Accessories

Flood lens

Description	Part ID	C1
Flood lens IO-360	185-7579	220



Linear spread lens

Description	Part ID	C1
Linear spread lens IO-180	185-7580	220






EVC340-FS CC LED

Wallwash lens

Description	Part ID	C1	
Wallwash lens IO-20	185-7589	220	





EVC340-FS CC LED

Control

DMX Wireless Antenna

Description	Part ID
Antenna RF1.8dB	430-0018

DMX Wireless Repeater

Description	Part ID	
DMX Wireless Repeater	400-0477	





EVC340-FS CC LED

DMX Wireless Transceiver

Description	Part ID
DMX Wireless Transceiver	400-0476

