## 145-0037+145-0145 FLC121 LED - Wall bracket

we-ef



#### Description

IP55, Class I. IK07. Marine-grade, all-aluminium construction. 5CE superior corrosion protection + primer including PCS hardware. Safety glass lens. Silicone CCG® Controlled Compression Gasket. Luminaire is factory-sealed and does not need to be opened during installation. Integral EC electronic converter in thermally-separated compartment. Advanced thermal management protects


LEDs while optimising lumens output. CAD-optimised optics for superior illumination and glare control. OLC® One LED Concept. Two cable entries.

Knuckle permits 350° horizontal and 180° vertical aiming of optics.

Weight	2.90 kg
Light distribution	wallwash
Light source	LED-6/12W / 700 mA - 3000 K
CRI	80
Power supply	EC
LEDs	6
Rated input power	14.5 W
Nominal Lumen (lm)	
LED Lumen	290
Total Lumen	1740
Tj	85
Rated lumens (lm)	
LED Lumen	202.2
Total Lumen	1213
Та	25

# we-ef

### FLC121 LED - Wall bracket



## Specifications Material description

Body	Marine-grade, die-cast aluminium alloy
Lens	Safety glass lens
Colours	RAL9004 Signal black
	RAL9006 White aluminium
	RAL9007 Grey aluminium
Gasket	Silicone CCG <sup>®</sup> Controlled Compression Gasket
Fasteners	PCS Polymer Coated Stainless Steel Hardware (unpainted)
Ingress protection	IP55
Impact resistance	IK07
Corrosion resistance	5CE+Primer

#### **Electrical description**

Power supply	230V / 50 Hz
Driver / Ballast	Integral EC electronic converter in thermally-separated compartment

#### **Additional information**

Lifetime	Ta=40° L90B10 > 90000h
Warranty	The product is supplied with 10-year warranty. Please refer to the LED Warranty Statement located on www.we-ef.com for further details.


FLC121 LED - Wall bracket

## we-ef

## **Optical Accessories**


#### Snoot

Description	Part ID	А	C1	
Snoot ET	145-0030	60	120	



## Linear spread lens

Description	Part ID	C1
IO-180-FLC121-LED	145-0050	81



#### FLC121 LED - Wall bracket




#### Surface wash lens

Description	Part ID	C1
10-360-FLC121-LED	D 145-9390	81



## Honeycomb louvre

Description	Part ID	21	
IW-FLC121-LED	145-0143	31	



#### FLC121 LED - Wall bracket




#### Wallwash lens

Description	Part ID C
IO-20-WW-FLC121-LED	145-0145 81



### Glare shield

Description	Part ID A	C1
e shield ES	145-9192 10	2 11



#### FLC121 LED - Wall bracket



#### Linear louvre

Description	Part ID	C1	
Linear louvre IL	145-9171	81	

