





Description

IP66, Class I. IK06. Marine-grade, die-cast aluminium alloy. 5CE superior corrosion protection + primer including PCS hardware. Safety glass lens. Silicone CCG\_R\_ Controlled Compression Gasket. Luminaire is factory-sealed and does not need to be opened during installation. Integral EC electronic converter in thermally separated compartment. Advanced thermal management protects LEDs while optimising lumens output. CAD-optimised optics for superior illumination and glare control. OLC\_R\_ One LED Concept.

|                    |                                  |
|--------------------|----------------------------------|
| Weight             | 2.40 kg                          |
| Light distribution | symmetric, very narrow beam [EE] |
| Light source       | LED-6/18W / 1050 mA - 4000 K     |
| CRI                | 80                               |
| Power supply       | EC                               |
| LEDs               | 6                                |
| Rated input power  | 21 W                             |

|                    |      |
|--------------------|------|
| Nominal Lumen (lm) |      |
| LED Lumen          | 450  |
| Total Lumen        | 2700 |
| Tj                 | 85   |

|                   |        |
|-------------------|--------|
| Rated lumens (lm) |        |
| LED Lumen         | 377.7  |
| Total Lumen       | 2266.4 |
| Ta                | 25     |



Specifications

Material description

|                      |                        |                         |
|----------------------|------------------------|-------------------------|
| Colours              | <div><div></div></div> | RAL9004 Signal black    |
|                      | <div><div></div></div> | RAL9006 White aluminium |
|                      | <div><div></div></div> | RAL9007 Grey aluminium  |
|                      | <div><div></div></div> | RAL9016 Traffic white   |
| Corrosion resistance | 5CE+Primer             |                         |

Electrical description

Additional information