

Description


DOC120 LED for new construction. For remodel projects, see DOC120 LED [For Remodel] version.

IP66, Class I. IK07. Marine-grade, die-cast aluminum alloy. 5CE superior corrosion protection including PCS hardware. Silicone CCG® Controlled Compression Gasket. Safety glass lens. Separate IP66 driver housing. CAD-optimized optics for superior illumination and glare control. OLC® One LED Concept. Factory installed LED circuit board. 0-10V Dimming comes standard with luminaire.

Optional 2200 K version available, to be specified at time of ordering.


Specify product with 7 Digit product code - Finish Color. Accessories, such as mounting, optical, and electrical, must be specified separately.

Example: XXX-XXXX - 9004 (Black)
+ XXX-XXXX (Accessory 1)



Specifications







Material description

Colors	 Signal black	 Grey aluminium	 Traffic white	 Grey brown
Ingress protection	IP66			
Impact resistance	IK07			





Electrical description

Additional information

Options

Light distribution	Color temperature	Nominal Watt
 [M] symmetric, medium beam	 4000K	24 W
 [VN] symmetric, very narrow beam	 3000K	
 [VNS] symmetric, very narrow beam, sharp cut-off		
 [W] bi-symmetric, wide beam		

Configurations

Light distribution	Part ID	Light source	Delivered lumens	Rated input power	CRI
	134-6204_us	LED-12/24W/3000K	2542.8 lm	24 W	80
	134-6205_us	LED-12/24W/4000K	2542.8 lm	24 W	80
[M] symmetric, medium beam					
	134-6200_us	LED-12/24W/3000K	2445.3 lm	24 W	80
	134-6201_us	LED-12/24W/4000K	2445.3 lm	24 W	80
[VN] symmetric, very narrow beam					
	134-6202_us	LED-12/24W/3000K	2610 lm	24 W	80
	134-6203_us	LED-12/24W/4000K	2610 lm	24 W	80
[VNS] symmetric, very narrow beam, sharp cut-off					
	134-6206_us	LED-12/24W/3000K	2297.3 lm	24 W	80
	134-6207_us	LED-12/24W/4000K	2297.3 lm	24 W	80
[W] bi-symmetric, wide beam					